

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/469,960	12/21/1999	MARK L. SKARPNESS	10559/095001	5596
20985 7:	590 03/26/2004		EXAMINER	
FISH & RICHARDSON, PC 12390 EL CAMINO REAL			BLAIR, DOUGLAS B	
	CA 92130-2081		ART UNIT	PAPER NUMBER
J. 11. 12. 12. 13. 13. 13. 13. 13. 13. 13. 13. 13. 13			2142 } DATE MAILED: 03/26/2004	15

Please find below and/or attached an Office communication concerning this application or proceeding.

2

•	<u> </u>					
	Application No.	Applicant(s)				
	09/469,960	SKARPNESS, MARK L.				
Office Action Summary	Examiner	Art Unit				
	Douglas B Blair	2142				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the	correspondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be ti y within the statutory minimum of thirty (30) da vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDON	mely filed ys will be considered timely. In the mailing date of this communication. ED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 12 Ja	nuary 2004.					
2a)⊠ This action is <b>FINAL</b> . 2b)☐ This	action is non-final.					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4)⊠ Claim(s) <u>3-10 and 13-24</u> is/are pending in the a	application.					
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>3-10 and 13-24</u> is/are rejected.	)⊠ Claim(s) <u>3-10 and 13-24</u> is/are rejected.					
7) Claim(s) is/are objected to.	·					
8) Claim(s) are subject to restriction and/or	r election requirement.					
Application Papers						
9)☐ The specification is objected to by the Examiner	r.					
10)☐ The drawing(s) filed on is/are: a)☐ acce	epted or b) objected to by the	Examiner.				
Applicant may not request that any objection to the o	drawing(s) be held in abeyance. Se	e 37 CFR 1.85(a).				
Replacement drawing sheet(s) including the correcti	· · · · · · · · · · · · · · · · · · ·	•				
11) The oath or declaration is objected to by the Exa	aminer. Note the attached Office	Action or form PTO-152.				
Priority under 35 U.S.C. § 119						
<ul> <li>12) Acknowledgment is made of a claim for foreign</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents</li> </ul>	•	)-(d) or (f).				
2. Certified copies of the priority documents	s have been received in Applicat	ion No				
<ol> <li>Copies of the certified copies of the priori application from the International Bureau</li> </ol>	•	ed in this National Stage				
* See the attached detailed Office action for a list of	, , , ,	ed.				
Attachment(s)						
1) M Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	4) Interview Summary Paper No(s)/Mail D					
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)	5) D Notice of Informal F	Patent Application (PTO-152)				
Paper No(s)/Mail Date	6)					

Art Unit: 2142

#### **DETAILED ACTION**

## Response to Amendment

1. Claims 3-10 and 13-24 are currently pending in this application.

# Claim Rejections - 35 USC § 112

- 2. The following is a quotation of the second paragraph of 35 U.S.C. 112:
  - The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 3. Claims 3, 6, and 9 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.
- 4. The claims language of claims 3, 6, and 9 is contradictory. The attachment bus is defined as being inside the computer system but the attachment bus is also defined as being attached to a peripheral device.

## Claim Rejections - 35 USC § 103

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 6. Claims 3-10, and 13-24 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent Number 6,088,734 to Marin et al. in view of U.S. Patent Number 6,470,410 to Gulick et al..

Art Unit: 2142

- As to claim 3, Marin teaches a computer system comprising: a host processor (col. 6, 7. lines 7-14); a peripheral device configured to transfer data form a network to the host processor over an attachment bus inside the computer system using at least first and second types of data transfers (col. 6, lines 52-67 and col. 7, lines 1-37), comprising: a classifying circuit configured to separate the data into a first class associated with the first type of transfer and a second class associated with the second type of transfer (col. 6, lines 52-67 and col. 7, lines 1-8); a first queue connected to receive the first class of data form the classifying circuit (col. 7, lines 9-37); a second queue connected to receive the second class of data from the classifying circuit (col. 7, lines 9-37); and a control circuit configured to place data format he first queue onto the attachment bus at a higher priority than data format he second queue is placed onto the attachment bus (col. 7, lines 9-37); where the bus is configured to receive data during time cycles of predetermined length (col. 10, lines 11-35); where the control circuit is configured to place at least a minimum amount of data from the first queue onto the bus during each time cycle (col. 10, lines 21-54); where the control circuit is configured to place data from the second queue onto the bus only when the bus is otherwise unoccupied by the first class data (col. 11, lines 14-38); however Marin does not explicitly teach a peripheral device.
- 8. Gulick teaches an attachment bus coupled to the host processor the attachment bus being inside the computer system, the attachment bus being configured to receive data during time cycles of predetermined length (col. 24, lines 30-63).
- 9. It would have been obvious to one of ordinary skill in the Computer Networking art at the time of the invention to combine the teachings of Marin regarding priority queueing with the

Application/Control Number: 09/469,960

Art Unit: 2142

teachings of Gulick regarding the use of a peripheral device because a peripheral device reduces the burden of adding complexity of a computer system (Gulick, col. 2, lines 11-27).

- 10. As to claim 4, Marin teaches the system of claim 3, where the peripheral device includes a network interface component connected to receive the data form a computer network (col. 7, lines 9-37).
- 11. As to claim 5, Marin teaches the system of claim 3, wherein the data includes packetized voice data (col. 9, lines 34-55).

As to claim 6, Marin teaches a computer system comprising: a host processor (col. 6, lines 7-14); a peripheral device configured to transfer data form a network to the host processor over an attachment bus inside the computer system using at least first and second types of data transfers (col. 6, lines 52-67 and col. 7, lines 1-37), comprising: a classifying circuit configured to separate the data into a first class associated with the first type of transfer and a second class associated with the second type of transfer (col. 6, lines 52-67 and col. 7, lines 1-8); a first queue connected to receive the first class of data form the classifying circuit (col. 7, lines 9-37); a second queue connected to receive the second class of data from the classifying circuit (col. 7, lines 9-37); and a control circuit configured to place data format he first queue onto the bus at a higher priority than data format he second queue is placed onto the bus (col. 7, lines 9-37); and the first type of transfer associated with the first class of data is an isochronous transfer, and the second type of transfer is associated with the second class of data is a bulk transfer (col. 10, lines 21-54); however Marin does not explicitly teach the use of USB bus.

Gulick teaches the use of USB in a computer communication system (col. 24, lines 30-63).

Art Unit: 2142

It would have been obvious to one of ordinary skill in the Computer Networking art at the time of the invention to combine the teachings of Marin regarding priority queueing with the teachings of Gulick regarding the use of USB in a computer communication system because USB is a common bus architecture (Gulick, col. 24, lines 30-63).

- 12. As to claim 7, Marin teaches the system of claim 3, where the peripheral device is configured to deliver the data packets of predetermined length (col. 10, lines 21-35, ATM cells have a fixed length.).
- 13. As to claim 8, Marin teaches the system of claim 7, where the classifying circuit is configured to place each of the packets into one of the queues (col. 7, lines 9-37).
- 14. As to claim 9, Marin teaches a computer system comprising: a host processor (col. 6, lines 7-14); a peripheral device configured to transfer data form a network to the host processor over an attachment bus inside the computer system using at least first and second types of data transfers (col. 6, lines 52-67 and col. 7, lines 1-37), comprising: a classifying circuit configured to separate the data into a first class associated with the first type of transfer and a second class associated with the second type of transfer (col. 6, lines 52-67 and col. 7, lines 1-8); a first queue connected to receive the first class of data form the classifying circuit (col. 7, lines 9-37); a second queue connected to receive the second class of data from the classifying circuit (col. 7, lines 9-37); and a control circuit configured to place data format he first queue onto the bus at a higher priority than data format he second queue is placed onto the bus (col. 7, lines 9-37); where the bus is configured to receive data during time cycles of predetermined length (col. 10, lines 11-35); where the control circuit is configured to place at least a minimum amount of data from the first queue onto the bus during each time cycle (col. 10, lines 21-54); where a portion of each

packet indicates a virtual channel associated with the packet, and where the classifying circuit includes a storage device that stores information indicating each of the virtual channels that is associated with at least one of the classes (col. 6, lines 25-44); however Marin does not explicitly teach a peripheral device.

- 15. Gulick teaches an attachment bus coupled to the host processor the attachment bus being inside the computer system, the attachment bus being configured to receive data during time cycles of predetermined length (col. 24, lines 30-63).
- 16. It would have been obvious to one of ordinary skill in the Computer Networking art at the time of the invention to combine the teachings of Marin regarding priority queueing with the teachings of Gulick regarding the use of a peripheral device because a peripheral device reduces the burden of adding complexity of a computer system (Gulick, col. 2, lines 11-27).
- 17. As to claim 10, Marin teaches the system of claim 9, where the classifying circuit includes a selection element configured to compare, for each packet the information in the storage device to the data in the portion of the packet that indicates a virtual channel and select a corresponding one of the queues to receive the packet (col. 6, lines 52-67 and col. 7, lines 1-8).
- 18. As to claims 13-17, they feature the same limitations as claims 3-8 and are rejected for the same reasons as claims 3-8.
- 19. As to claims 18 and 19, they feature the same limitations as claims 9 and 10 and are rejected for the same reasons as claims 9 and 10.
- 20. As to claim 20, Marin teaches the system of claim 9, where the classifying circuit comprises a buffer adapted to buffer a received packet, a shift register adapted to store a portion of the received packet, and the storage device is a content addressable memory device adapted to

Art Unit: 2142

store information indicating each of the virtual channels that is associated with at least one of the classes (col. 7, lines 26-52).

21. As to claim 21, Marin teaches the system of claim 3; however Marin does not explicitly teach the use of a PCI bus.

Gulick teaches the use of a PCI bus (col. 24, lines 30-63).

It would have been obvious to one of ordinary skill in the Computer Networking art at the time of the invention to combine the teachings of Marin regarding priority queueing with the teachings of Gulick regarding the use of a PCI bus in a computer communication system because a PCI bus is a common bus architecture (Gulick, col. 24, lines 30-63).

22. As to claim 22, Marin teaches the system of claim 3, wherein the bus uses an Asynchronous Transfer Mode (col. 6, lines 45-51).

As to claim 23, it corresponds to the peripheral described in claim 3 and is rejected for the same reasons as the peripheral in claim 3.

23. As to claim 24, it corresponds to the peripheral described in claim 6 and is rejected for the same reasons as the peripheral in claim 6.

#### Response to Arguments

24. Applicant's arguments filed 1/12/2004 have been fully considered but they are not persuasive. The applicant argues the following points: (a) Marin does not disclose transferring data from "peripheral device" to a "host processor over an attachment bus inside the computer system using at least first and second types of data transfers; (b) Marin does not teach a control circuit configured to place data from the first queue onto the attachment bus at a higher priority

Art Unit: 2142

than data from the second queue is placed onto the attachment bus; (c) Marin does not teach a "storage device that stores a list of virtual channel identifiers that are associated with at least one of the classes"; (d) Marin does not teach a shift register adapted to store a portion of the received packet and the storage device is a content addressable memory device adapted to store virtual channel identifiers that are associated with at least one of the classes; and (e) the combination of Marin and Gulick does not teach a peripheral device that receives asynchronous transfer mode ATM packets from a network, separates the data into first and second classes, and transfers the data to a host processor over a USB using isochronous and bulk transfers.

- 25. As to point (a), this argument is moot in view of new grounds of rejection.
- 26. As to point (b), the scheduler is a control circuit. It outputs cells from the classified input queues to the main queue for transmission over the bus.
- 27. As to point (c), the cited portion of text in Marin discusses making a virtual connection therefore the system must have a storage device for storing channel information.
- 28. As to point (d), such hardware makes up the buffers discussed in the cited portion of Marin. Gulick also teaches this feature (see figure 31).
- 29. As to point (e), In Marin packets with a higher priority are transferred isochronously and packets with the lower priority are subject to a bulk transfer.

#### Conclusion

30. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Page 9

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

31. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Douglas B Blair whose telephone number is 703-305-5267. The examiner can normally be reached on 8:30am-5pm Mon-Fri.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jack Harvey can be reached on 703-305-9705. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-305-3800.

Douglas Blair March 22, 2004 SUPERVISORY PATENT EXAMINER